



SAFETY DATA SHEET – Rejuven8 Scratch Remover

Compilation date: 28/02/2019

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: Rejuven8 Scratch Remover: Abrasive Paste for Resin

1.2. Details of the supplier of the safety data sheet

Company name: Resin8 Craft Supplies Limited, Unit B4,
Withytree Farm, Broadway Road,
Winchcombe, Gloucestershire, GL54 5NT

Tel: +44 (1242) 603624

Email: info@resin8.co.uk

1.3. Emergency telephone number +44 (1242) 603624 (UK office hours only)

Section 2: Hazardous identification

2.1 Classification of the substance or mixture

Classification under GHS: Skin Irrit. 2: H315; Eye Irrit. 2A: H319; Skin Sens. 1B: H317

Most important adverse effects: Irritating to eyes and skin. May cause an allergic skin reaction.

2.2. Label elements

Hazard statements: H315: Causes skin irritation.
H319: Causes serious eye irritation.
H317: May cause an allergic skin reaction.

Signal words: Warning

Hazard pictograms: GHS07: Exclamation mark



Precautionary statements: P261: Avoid breathing vapours/spray.
P264: Wash thoroughly after handling.
P272: Contaminated clothing must not be allowed out of the workplace.
P280: Wear protective gloves and eye protection.
P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302 + P352: IF ON SKIN: Wash with plenty of soap and water.
P332 + P337 + P313: If skin irritation occurs or eye irritation persists, get medical attention.
P362: Take off contaminated clothing and wash before reuse.
P321: Specific treatment (remove from exposure and treat symptoms).

www.resin8.co.uk | info@resin8.co.uk | 01242 603624

The data provided in this document is the result of tests and is believed to be accurate. We do not accept any responsibility over the mishandling of these products and our liability is limited strictly to the value of the products we supply.

Section 3: Composition/information on ingredients

3.1. Mixture: Aqueous silica/hydrocarbon mixture

Chemical Name	CAS	GHS Classification	% w/w
Odourless mineral spirits	64742-48-9	Due to the fact that this mineral spirit contains less than 0.1% benzene or other aromatic, H350 and H340 are not applicable. Classification: Flam Liq Cat. 3, Aspiration Tox Cat. 1 Hazard Statement Codes: H226, H304 Hazard Symbols/Pictograms: GHS02, GHS08	7-13%
Polydimethyl Siloxane	63148-62-9	Classification: not applicable	4-8%
Flux-Calcined Diatomaceous Earth/Crystalline Silicas Mixture	68855-54-9 14464-46-1 14808-60-7	SELF CLASSIFICATION Classification: Carcinogenic, Category 1A, Specific Target Organ Toxicity – Repeated Exposure Category 1 Hazard Statement Codes: H350, H372 Hazard Symbols/Pictograms: GHS08	3-7% 0-4.1%
Morpholine	110-91-8	Classification: Flam Liq Cat. 3, Acute inhalation tox. Cat 4, Acute oral tox cat. 4, Skin corrosion cat. 1B Hazard Statement Codes: H226, H332, H312, H302, H314 Hazard Symbols/Pictograms: GHS02, GHS05, GHS07	<3%
Oleic Acid	112-80-1	SELF CLASSIFICATION Classification: Skin Irrit. Cat 2 Hazard Statement Codes: H315 Hazard Symbols/Pictograms: GHS07	1-5%
Diatomaceous Earth/Crystalline Silicas Mixture	61790-53-2 14464-46-1 14808-60-7	SELF CLASSIFICATION Classification: Carcinogenic, Category 1A, Specific Target Organ Toxicity – Repeated Exposure Category 1 Hazard Statement Codes: H350, H372 Hazard Symbols/Pictograms: GHS08	1-5% 0-0.25%
Sulisobenzone	4065-45-6	MANUFACTURER CLASSIFICATION Classification: Skin irrit Cat. 2, Eye irrit Cat. 2A, Skin sens. Cat. 1B Hazard Statement Codes: H319, H315, H317 Hazard Symbols/Pictograms: GHS07	0.1%
Water	7732-18-5	Classification: not applicable	Balance

Section 4: First aid measures

4.1. Description of first aid measures

Contaminated individuals must be taken for medical attention if any adverse effects occur. Take a copy of label and SDS to health professional with victim.

Eye Contact:

In cases of contact, open contaminated individual's eyes while under gently running water. Use sufficient force to open eyelids. Have contaminated individual "roll" eyes. Minimum flushing is for 20 minutes. Contaminated individual must seek medical attention if adverse effect continues after flushing.



Skin Contact: If this material contaminates the skin, begin decontamination with running water. Minimum flushing is for 20 minutes. Contaminated individual must seek immediate medical attention if any adverse exposure symptoms occur after flushing.

Inhalation: If inhaled, remove to fresh air. Get medical attention if symptoms persist.

Ingestion: If this material is swallowed CALL PHYSICIAN OR POISON CONTROL CENTRE FOR MOST CURRENT INFORMATION. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, convulsing or unable to swallow. If victim is convulsing, maintain an open airway and obtain immediate medical attention.

Section 5: Fire-fighting measures

Fire Fighting Media and Instructions: In case of fire, use extinguishing material suitable to the surrounding fire, including halon, carbon dioxide, dry chemical and ABC class.

Special protective equipment for fire-fighters: Fire-fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear. Chemical resistant clothing may be necessary.

Special Remarks on Fire Hazards: When involved in a fire, this material may decompose and produce irritating vapours and toxic gases (e.g. oxides of silicone and carbon). This product presents a moderate eye and skin-contact hazard to firefighters. This material must be substantially preheated before ignition can occur.

Section 6: Accidental release measures

Personal precautions: Proper protective equipment should be used. In the event of a spill, clear the area and protect people. Eliminate all sources of ignition before cleanup begins. Use non-sparking tools. The atmosphere must have levels of components lower than those listed in Section 8 if applicable, and have at least 19.5% oxygen before personnel can be allowed into the area without Self-Contained Breathing Apparatus.

Environmental Precautions and Clean-up Methods: Avoid release to the environment. Absorb spilled material with polypads or other suitable, non-reacting sorbent, avoiding generation of aerosols, wearing gloves, goggles and apron. Place spilled material in appropriate container for disposal, sealing tightly. Remove all residue before decontamination of spill area. Place all spill residues in a double plastic bag or other containment and seal. Decontaminate the area thoroughly. Do not mix with wastes from other materials. Dispose of in accordance with national procedures.

Section 7: Handling and storage

Handling: Wash thoroughly after handling. Use suitable protective equipment.

Storage: Keep container tightly closed. Keep container in a cool, dry, well-ventilated area, away from direct sunlight, sources of intense heat, or where freezing is possible.

www.resin8.co.uk | info@resin8.co.uk | 01242 603624

The data provided in this document is the result of tests and is believed to be accurate. We do not accept any responsibility over the mishandling of these products and our liability is limited strictly to the value of the products we supply.

**Packaging materials****Recommended:** Use original container.**Section 8: Exposure controls/personal protection****Occupational exposure****Controls:** Use with adequate ventilation. Use a mechanical fan or vent area to outside. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective occupational exposure limits. Ensure that eyewash stations and safety showers are proximal to the work-station location.**Respiratory protection:** A respirator is not needed under normal and intended conditions of product use. Wear appropriate respirator when ventilation is inadequate.**Hand protection:** Nitrile gloves.**Eye protection:** Safety glasses. Goggles, face shield, or othe full-face protection if potential exists for direct exposure to aerosols or splashes.**Skin protection:** Additional body garments should be used based upon the task being performed (e.g. sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.**Section 9: Physical and chemical properties**

State:	Viscous Liquid		
Colour:	Opaque, tan		
Odour:	Hydrocarbon		
Viscosity:	Not established		
Boiling point/range °C:	Not established	Flash point:	>93.3°C
Specific gravity (23°C, water = 1):	1.01	pH:	8.5-9

Section 10: Stability and reactivity

Stability and Reactivity:	The product is stable
Conditions of Instability:	High temperatures
Incompatibility with Various Substances:	Strong oxidizers, water-reactive materials.
Hazardous Decomposition Products:	Silicon, nitrogen and carbon oxides.
Hazardous Polymerization:	Will not occur under normal transport or storage conditions.

Section 11: Toxicological information

Acute toxicity:	Not classified
Skin corrosion:	Causes skin irritation - Category 2
Eye contact:	Causes serious eye irritation - Category 2A
Other adverse effects:	May cause an allergic skin reaction

Section 12: Ecological information**ECOTOXICITY:** This product has not been tested for ecotoxicity.

www.resin8.co.uk | info@resin8.co.uk | 01242 603624

The data provided in this document is the result of tests and is believed to be accurate. We do not accept any responsibility over the mishandling of these products and our liability is limited strictly to the value of the products we supply.



PERSISTENCE AND BIODEGRADABILITY: This product has not been tested for persistence or biodegradability.

BIO-ACCUMULATION POTENTIAL: This product has not been tested for bio-accumulation potential.

MOBILITY: This product has not been tested for mobility in soil.

OTHER ADVERSE EFFECTS: No components of this product are listed as having ozone depletion potential.

ENVIRONMENTAL EXPOSURE CONTROLS: Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways.

Section 13: Disposal considerations

DISPOSAL METHODS: It is the responsibility of the generator to determine at the time of disposal whether the product meets the criteria of a hazardous waste per regulations of the area in which the waste is generated and/or disposed of. Waste disposal must be in accordance with appropriate regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local hazardous waste regulatory authority. Shipment of wastes must be done with appropriately permitted and registered transporters.

DISPOSAL CONTAINERS: Waste materials must be placed in and shipped in impermeable containers. Ensure that any required marking or labeling of the containers be done to all applicable regulations.

PRECAUTIONS TO BE FOLLOWED DURING WASTE HANDLING: Wear proper protective equipment when handling waste materials.

Section 14: Transport information

Regulatory Information	UN number	Proper shipping name	Class	Packing Group	Label	Additional information
ADR/RID/SABS 0228 Class	Not regulated					
IMDG Class	Not regulated					
IATA-DGR Class	Not regulated					

Section 15: Regulatory information

Hazard symbol(s):



Risk phrases:

Safety phrases:

R36/38- Irritating to eyes and skin.

S24- Avoid contact with skin.

S29- Do not empty into drains

S37- Wear suitable gloves.

S46- If swallowed, seek medical advice immediately and show this container or label.



Section 16: Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010. *indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and 3:	H315: Causes skin irritation. H319: Causes serious eye irritation. H317: May cause an allergic skin reaction. R36/38: Irritating to eyes and skin.
Notice to Reader:	To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.