

# MATERIAL SAFETY DATA SHEET


coat-it: epoxy resin

resin<sup>8</sup>

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier:**  
Product Name: Resin8 coat-it epoxy resin  
CAS number: 25068-38-6  
EINECS number: 500-033-5  
Index number: 603-074-00-8  
Product Code: Coat-It  
Synonyms: EPOXY RESIN (NUMBER AVERAGE MOLECULAR WEIGHT <700)
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**  
PC1: Adhesives, sealants. Artwork, casting & jewellery
- 1.3 Details of the supplier of the safety data sheet**  
Resin8 Craft Supplies Ltd  
Withytree Farm  
Broadway Road  
Winchcombe  
Gloucestershire  
GL54 5NT  
United Kingdom  
Phone: 01242 603624  
Email: [info@resin8.co.uk](mailto:info@resin8.co.uk)  
Web: [www.resin8.co.uk](http://www.resin8.co.uk)
- 1.4 Emergency telephone number:**  
0044 (0) 1242 603624 (Monday-Friday 09:00 – 17:00)

## SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture:**  
**Classification under CLP:**  
Aquatic Chronic 2: H411; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317  
**Most important adverse effects:**  
Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long-lasting effects.
- 2.2 Label elements:**  
**Hazard statements:**  
H315: Causes skin irritation.  
H317: May cause an allergic skin reaction.  
H319: Causes serious eye irritation.  
H411: Toxic to aquatic life with long lasting effects.  
**Signal words:** Warning  
**Hazard pictograms:** GHS07: Exclamation mark  
GHS09: Environmental
- 
- Precautionary statements:**

P264: Wash hands thoroughly after handling.  
P273: Avoid release to the environment.  
P280: Wear protective gloves.  
P305 + 351 + 338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P321: Specific treatment (see on this label)  
P332 + 313: If skin irritation occurs: Get medical attention.  
P501: Dispose of contents / container to a collection point for hazardous waste in accordance with local, regional, national and / or international regulations.

## 2.3 Other hazards:

**PBT:** This substance is not identified as a PBT substance.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3 Substances:

BISPHENOL A- (EPICHLORHYDRIN) {REACTION PRODUCT}

CAS number: 25068-38-6

EINECS number: 500-033-5

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

## SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures:

**Eye Contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

**Skin Contact:** Remove all contaminated clothing and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

**Ingestion:** Wash out mouth with water. Consult a doctor.

### 4.2 Most important symptoms and effects, both acute and delayed

**Eye Contact:** There may be irritation and redness. The eyes may water profusely

**Skin Contact:** There may be irritation and redness at the site of contact.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

**Ingestion:** There may be soreness and redness of the mouth and throat.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure

### 4.3 Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** Eye bathing equipment should be available on the premises

## SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing Media

Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

### 5.2 Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic flames

### 5.3 Advice for fire-fighters

Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.



# MATERIAL SAFETY DATA SHEET

coat-it: epoxy resin

resin<sup>8</sup>

## SECTION 6: ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures:**  
Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.
- 6.2 Environmental precautions:**  
Do not discharge into drains or rivers. Contain the spillage using bunding.
- 6.3 Methods and material for containment and cleaning up:**  
Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.
- 6.4 Reference to other sections:**  
See section 8.

## SECTION 7: HANDLING AND STORAGE

- 7.1 Handling:**  
Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.
- 7.2 Conditions for safe storage:**  
Store in a cool, well ventilated area. Keep container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquids.
- 7.3 Specific end use (s)**  
No data available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Control parameters**  
Workplace exposure limits: No data available
- 8.2 Exposure controls**  
**Engineering measures:** Ensure there is sufficient ventilation of the area. The floor of the storage room must be impermeable to prevent the escape of liquids.  
**Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency.  
**Hand protection:** Protective impermeable gloves, 4 mil thick, nitrile rubber, penetration time 4-6 hours.  
**Eye protection:** Safety glasses. Ensure eye bath is to hand.  
**Skin protection:** Protective clothing

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

- 9.1 Information on basic physical and chemical properties:**
- |                               |                  |                           |
|-------------------------------|------------------|---------------------------|
| <b>State:</b>                 |                  | Liquid                    |
| <b>Colour:</b>                |                  | Clear transparent         |
| <b>Odour:</b>                 |                  | Mild odour                |
| <b>Viscosity:</b>             |                  | Free flowing liquid       |
| <b>Boiling point/range°C:</b> | >200             | <b>Flash point°C:</b> 245 |
| <b>Relative density:</b>      | 1.1 – 1.15 g/cm3 | <b>pH:</b> 7              |

## SECTION 10: STABILITY AND REACTIVITY

**10.1 Reactivity:**

The product is stable under recommended transport or storage conditions.

**10.2 Chemical stability:**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.

**10.4 Conditions to avoid**

Heat.

**10.5 Incompatible materials:**

Strong oxidizing agents. Strong acids.

**10.5 Hazardous decomposition products:**

In combustion emits toxic fumes.

## SECTION 11: TOXICOLOGICAL INFORMATION

**11.1 Information on toxicological effects:**

Toxicity values:

Route	Species	Test	Value	Units
ORL	MUS	LD50	15600	Mg/kg
ORL	RAT	LD50	11400	Mg/kg
SKN	RBT	LD50	>20	Mg/kg

Hazardous ingredients:

BISPHENOL A-(EPICHLORHYDRIN) {REACTION PRODUCT}

Route	Species	Test	Value	Units
ORL	MUS	LD50	15600	Mg/kg
ORL	RAT	LD50	11400	Mg/kg
SKN	RBT	LD50	>20	Mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
Respiratory/skin sensitisation	DRM	Hazardous: calculated

Symptoms/routes of exposure:

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

## SECTION 12: ECOLOGICAL INFORMATION

- |   |
|---|
| <b>12.1 Toxicity</b><br>Ecotoxicity values: No data available   |
| <b>12.2 Persistence and degradability</b><br>Not biodegradable  |
| <b>12.3 Bioaccumulative potential</b><br>No bioaccumulation potential                                     |
| <b>12.4 Mobility in soil</b><br>Ready absorbed into soil  |
| <b>12.5 Results of PBT and vPvB assessment</b><br>This product is not identified as a PBT/vPvB substance. |
| <b>12.6 Other adverse effects</b><br>Toxic to aquatic organisms. Toxic to soil organisms.                 |

## SECTION 13: DISPOSAL CONSIDERATIONS

- |   |
|---|
| <b>13.1 Waste treatment methods:</b><br><b>Disposal operations:</b> Transfer to a suitable container and arrange for collection by specialized disposal company.<br>NB. The user's attention is drawn to the possible existence of regional or national regulations regarding disposal. |
|---|

## SECTION 14: TRANSPORT INFORMATION

- |  |
|--|
| <b>14.1 UN Number:</b> UN3082  |
| <b>14.2 UN proper shipping name:</b> ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S                                    |
| <b>14.3 Transport hazard class(es):</b> Transport class 9  |
| <b>14.4 Packing Group:</b> Packing group III   |
| <b>14.5 Environmental hazardous:</b> Yes.<br><b>Marine pollutant:</b> No.  |
| <b>14.6 Special precautions for user:</b> No special precautions.<br><b>Tunnel code:</b> E<br><b>Transport category:</b> 3 |

## SECTION 15: REGULATORY INFORMATION

- |   |
|---|
| <b>15.1</b> Safety, health and environmental regulations/legislation specific for the substance or mixture<br>Not applicable                      |
| <b>15.2 Chemical Safety Assessment</b><br>A chemical safety assessment has not been carried out for the substance or the mixture by the supplier. |

## SECTION 16: OTHER INFORMATION

<b>Other information:</b> This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830. *indicates text in the SDS which has changed since the last revision.
--

# MATERIAL SAFETY DATA SHEET

coat-it: epoxy resin

resin<sup>8</sup>

**Phrases used in s.2 and 3:**

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H411: Toxic to aquatic life with long lasting effects.

**Notice to Reader:** To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



*The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.*

# MATERIAL SAFETY DATA SHEET


coat-it: epoxy hardener

resin<sup>8</sup>

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier:**  
Resin8 coat-it epoxy hardener
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**  
Artwork, castings & jewellery
- 1.3 Details of the supplier of the safety data sheet**  
Resin8 Craft Supplies Ltd  
Withytree Farm  
Broadway Road  
Winchcombe  
Gloucestershire  
GL54 5NT  
United Kingdom  
Phone: 01242 603624  
Email: [info@resin8.co.uk](mailto:info@resin8.co.uk)  
Web: [www.resin8.co.uk](http://www.resin8.co.uk)
- 1.4 Emergency telephone number:**  
0044 (0) 1242 603624 (Monday-Friday 09:00 – 17:00)

## SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture:**  
**Classification under CLP:** Acute Tox. 4: H302, Aquatic Chronic 3: H412; Skin Corr. 1A: H314; Skin Sens. 1: H317  
**Most important adverse effects:** Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.
- 2.2 Label elements:**  
**Hazard statements:**  
H302: Harmful if swallowed.  
H314: Causes severe skin burns and eye damage.  
H317: May cause an allergic skin reaction.  
H412: Harmful to aquatic life with long lasting effects.  
**Signal words:** Danger  
**Hazard pictograms:** GHS05: Corrosion  
GHS07: Exclamation mark
- 
- Precautionary statements:**  
P260: Do not breathe dust/fumes/gas/mist/vapours/spray.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P301+312: IF SWALLOWED Call a doctor if you feel unwell.  
P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P302+352: IF ON SKIN Wash with plenty of water.  
P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
- 2.3 Other hazards:**



# MATERIAL SAFETY DATA SHEET

coat-it: epoxy hardener

resin<sup>8</sup>

**PBT:** This substance is not identified as a PBT/vPvB substance.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

<b>3.1 Substance:</b>	Not applicable			
<b>3.2 Mixture:</b>	<b>Hazardous ingredients:</b>			
<b>PHENOL 4,4</b>				
<b>EINECS</b>	<b>CAS</b>	<b>PBT/WEL</b>	<b>CLP Classification</b>	<b>Percent</b>
500-101-4	38294-64-3		Skin Sens. 1A: H317; Aquatic Chronic 2: H412	50-70%
<b>BIS AMINOMETHYL CYCLOHEXANE</b>				
<b>EINECS</b>	<b>CAS</b>	<b>PBT/WEL</b>	<b>CLP Classification</b>	<b>Percent</b>
	2579-20-6		Acute Tox. 4: H302+312; Skin Corr. 1A: H314; Eye Dam. 1: H318; Acute Tox. 4:H332	<15%
<b>BENZYL ALCOHOL</b>				
<b>EINECS</b>	<b>CAS</b>	<b>PBT/WEL</b>	<b>CLP Classification</b>	<b>Percent</b>
202-859-9	100-51-6		Acute Tox. 4: H302; Acute Tox. 4:H332	<15%

## SECTION 4: FIRST AID MEASURES

<b>4.1 Description of first aid measures:</b>	<p><b>Eye Contact:</b> Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.</p> <p><b>Skin Contact:</b> Remove all contaminated clothing and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.</p> <p><b>Inhalation:</b> Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.</p> <p><b>Ingestion:</b> Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If conscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.</p>
<b>4.2 Most important symptoms and effects, both acute and delayed</b>	<p><b>Eye Contact:</b> Corneal burns may occur. May cause permanent damage.</p> <p><b>Skin Contact:</b> Blistering may occur. Progressive ulceration will occur if treatment is not immediate.</p> <p><b>Inhalation:</b> There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.</p> <p><b>Ingestion:</b> Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.</p> <p><b>Delayed / immediate effects:</b> Immediate effects can be expected after short-term exposure</p>
<b>4.3 Indication of any immediate medical attention and special treatment needed</b>	<p><b>Immediate / special treatment:</b> Eye bathing equipment should be available on the premises</p>

## SECTION 5: FIREFIGHTING MEASURES

- |  |
|--|
| <p><b>5.1 Extinguishing Media</b><br/>Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.</p> <p><b>5.2 Special hazards arising from the substance or mixture</b><br/>Exposure hazards: In combustion emits toxic flames</p> <p><b>5.3 Advice for fire-fighters</b><br/>Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.</p> |
|--|

## SECTION 6: ACCIDENTAL RELEASE MEASURES

- |  |
|--|
| <p><b>6.1 Personal precautions, protective equipment and emergency procedures:</b><br/>Notify the police and fire brigade immediately. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorized personnel. Do not attempt to take action without suitable protective clothing – see section 8 of the SDS. Turn leaking containers leak-side up to prevent the escape of liquid.</p> <p><b>6.2 Environmental precautions:</b><br/>Do not discharge into drains or rivers. Contain the spillage using bunding.</p> <p><b>6.3 Methods and material for containment and cleaning up:</b><br/>Clean-up should only be dealt with by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.</p> <p><b>6.4 Reference to other sections:</b><br/>See sections 8 of SDS</p> |
|--|

## SECTION 7: HANDLING AND STORAGE

- |   |
|---|
| <p><b>7.1 Precautions for safe handling:</b><br/>Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.</p> <p><b>7.2 Conditions for safe storage, including any incompatibilities:</b><br/>Store in cool, well ventilated area. Keep container tightly closed.</p> <p><b>7.3 Specific end use(s)</b><br/>No data available</p> |
|---|

## SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

- |  |
|--|
| <p><b>8.1 Control parameters</b><br/><b>Workplace exposure limits:</b> No data available.<br/>DNEL/PNEC: No data available</p> <p><b>8.2 Exposure Controls:</b><br/>Engineering measures: Ensure there is sufficient ventilation of the area.<br/>Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.<br/>Hand protection: Protective impermeable gloves, 4mm thick nitrile rubber, penetration time 4-6 hours.<br/>Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.<br/>Skin protection: Impermeable protective clothing.</p> |
|--|

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

<b>9.1 Information on basic physical and chemical properties:</b>
<b>State:</b> Liquid
<b>Colour:</b> Colourless
<b>Odour:</b> Pungent
<b>Solubility in water:</b> Not miscible
<b>Vapour pressure:</b> negligible at 20°C
<b>Flash point *C:</b> 120
<b>9.2 Other information:</b>
Not applicable.

## SECTION 10: STABILITY AND REACTIVITY

<b>10.1 Reactivity:</b>
The product is stable under recommended transport or storage conditions
<b>10.2 Chemical stability:</b>
Stable under normal conditions
<b>10.3 Possibility of hazardous reactions</b>
Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.
<b>10.4 Conditions to avoid</b>
Heat.
<b>10.5 Incompatible materials:</b>
Strong oxidizing agents. Strong acids.
<b>10.5 Hazardous decomposition products:</b>

## SECTION 11: TOXICOLOGICAL INFORMATION

<b>11.1 Information on toxicological effects</b>															
Toxicity values:															
<table border="1"> <thead> <tr> <th>Route</th> <th>Species</th> <th>Test</th> <th>Value</th> <th>Units</th> </tr> </thead> <tbody> <tr> <td>ORL</td> <td>RAT</td> <td>LD50</td> <td>&lt;2000</td> <td>Mg/kg</td> </tr> </tbody> </table>	Route	Species	Test	Value	Units	ORL	RAT	LD50	<2000	Mg/kg					
Route	Species	Test	Value	Units											
ORL	RAT	LD50	<2000	Mg/kg											
Hazardous ingredients:															
BENZYL ALCOHOL															
<table border="1"> <thead> <tr> <th>IVN</th> <th>RAT</th> <th>LD50</th> <th>53</th> <th>Mg/kg</th> </tr> </thead> <tbody> <tr> <td>ORL</td> <td>MUS</td> <td>LD50</td> <td>1360</td> <td>Mg/kg</td> </tr> <tr> <td>ORL</td> <td>RAT</td> <td>LD50</td> <td>1230</td> <td>Mg/kg</td> </tr> </tbody> </table>	IVN	RAT	LD50	53	Mg/kg	ORL	MUS	LD50	1360	Mg/kg	ORL	RAT	LD50	1230	Mg/kg
IVN	RAT	LD50	53	Mg/kg											
ORL	MUS	LD50	1360	Mg/kg											
ORL	RAT	LD50	1230	Mg/kg											
Relevant hazards for product:															
<table border="1"> <thead> <tr> <th>Hazard</th> <th>Route</th> <th>Basis</th> </tr> </thead> <tbody> <tr> <td>Acute toxicity (Ac. Tox. 4)</td> <td>ING</td> <td>Hazardous: calculated</td> </tr> <tr> <td>Skin corrosion/irritation</td> <td>DRM</td> <td>Hazardous: calculated</td> </tr> <tr> <td>Serious eye damage/irritation</td> <td>OPT</td> <td>Hazardous: calculated</td> </tr> <tr> <td>Respiratory/skin sensitisation</td> <td>DRM</td> <td>Hazardous: calculated</td> </tr> </tbody> </table>	Hazard	Route	Basis	Acute toxicity (Ac. Tox. 4)	ING	Hazardous: calculated	Skin corrosion/irritation	DRM	Hazardous: calculated	Serious eye damage/irritation	OPT	Hazardous: calculated	Respiratory/skin sensitisation	DRM	Hazardous: calculated
Hazard	Route	Basis													
Acute toxicity (Ac. Tox. 4)	ING	Hazardous: calculated													
Skin corrosion/irritation	DRM	Hazardous: calculated													
Serious eye damage/irritation	OPT	Hazardous: calculated													
Respiratory/skin sensitisation	DRM	Hazardous: calculated													

Symptoms/routes of exposure:

**Skin contact:** Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

**Eye contact:** Corneal burns may occur. May cause permanent damage.

**Ingestion:** Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

**Inhalation:** There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

## SECTION 12: ECOLOGICAL INFORMATION

**12.1 Toxicity:** Not available.

**12.2 Persistence and degradability:** Biodegradable

**12.3 Bioaccumulative potential:** No bioaccumulation potential

**12.4 Mobility in soil:** Readily absorbed into soil.

**12.5 Results of PBT and vPvB assessment:** This product is not identified as a PBT/vPvB substance.

**12.6 Other adverse effects:** Negligible ecotoxicity.

## SECTION 13: DISPOSAL CONSIDERATIONS

**13.1 Waste treatment methods:**

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## SECTION 14: TRANSPORT INFORMATION

**14.1 UN Number:** UN2735

**14.2 UN proper shipping name:** POLYAMINES, LIQUID, CORROSIVE, N.O.S., 1-3  
CYCLOHEXANEDIMETHANAMINE

**14.3 Transport hazard class(es):** Transport class 8

**14.4 Packing Group:** Packing group III

**14.5 Environmental hazardous:** Nos.

**Marine pollutant:** No.

**14.6 Special precautions for user:** No special precautions.

## SECTION 15: REGULATORY INFORMATION

**15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture  
Not applicable

**15.2 Chemical Safety Assessment**

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## SECTION 16: OTHER INFORMATION

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

**\*indicates text in the SDS which has changed since the last revision.**

**Phrases used in s.2 and 3:**

H302: Harmful if swallowed

H302 + 312: Harmful if swallowed or in contact with skin.

H314: Causes severe skin burns and eye damage.

H317: May cause an allergic skin reaction.

H332: Harmful if inhaled.

H412: Harmful to aquatic life with long lasting effects.

**Notice to reader:**

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



*The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.*