



## SAFETY DATA SHEET – Destick-It Tack Remover

Compilation date: 17/02/2020

Revision No: 1

### Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: Destick-it tack remover

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against.

Use of substance/mixture: Removes glue and most adhesives from surfaces including acrylic, resin, synthetic and cellulose finishes.

#### 1.3. Details of the supplier of the safety data sheet

Company name: Resin8 Craft Supplies Limited, Unit B1,  
Withytree Farm, Broadway Road,  
Winchcombe, Gloucestershire, GL54 5NT

Tel: +44 (1242) 6036 24

Email: [info@resin8.co.uk](mailto:info@resin8.co.uk)

#### 1.4. Emergency telephone number

Emergency tel: +44 (1242) 603624 (UK office hours only)

### Section 2: Hazardous identification

#### 2.1 Classification of the substance or mixture

Classification under CLP: Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; EUH066

Most important adverse effects: Repeated exposure may cause skin dryness or cracking. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Causes skin irritation.

#### 2.2. Label elements

Hazard statements: EUH066: Repeated exposure may cause skin dryness or cracking.  
H226: Flammable liquid and vapour.  
H304: May be fatal if swallowed and enters airways.  
H315: Causes skin irritation

Signal words: Danger

Hazard pictograms: GHS02: Flame GHS07: Exclamation Mark GHS08: Health Hazard



Precautionary statements: P210: Keep away from heat/sparks/open flames/hot surfaces – No smoking.  
P233: Keep container tightly closed.  
P264: Wash hands thoroughly after handling.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.

[www.resin8.co.uk](http://www.resin8.co.uk) | [info@resin8.co.uk](mailto:info@resin8.co.uk) | 01242 603624

The data provided in this document is the result of tests and is believed to be accurate. We do not accept any responsibility over the mishandling of these products and our liability is limited strictly to the value of the products we supply.



P261: Avoid breathing vapours.

P301+310: IF SWALLOWED: Immediately call a POISON CENTRE or doctor.

P302+352: IF ON SKIN: Wash with plenty of soap and water.

P331: Do NOT induce vomiting.

### 2.3. Other hazards

**Other hazards:**

In use, may form flammable/explosive vapour-air mixture.

**PBT:**

This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

**Hazardous ingredients:**

HYDROCARBONS,C11-14,N-ALKANES,ISOALKANES,CYCLIC,<2% AROMATICS – REACH registered number (s):  
01-2119456620-43-XXXX

EINECS	CAS	PBT/WEL	CLP Classification	Percent
-	-	-	Asp. Tox 1: H304; -: EUH066	70-90%

#### XYLENE

215-535-7	1330-20-7	-	Flam. Liq. H226; Acute Tox. 4: H332; Acute Tox. 4: H312; Skin Irrit. 2: H315	10-30%
-----------	-----------	---	---	--------

#### 2-BUTOXYETHANOL

203-905-0	111-76-2	-	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315	1-10%
-----------	----------	---	---	-------

**Contains:**

Hazardous Ingredients.

Hydrocarbons, c11-14,N-ALKANES,ISOALKANES,CYCLIC,<2%AROMATICS.

XYLENE, 2-BUTOXYETHANOL

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin Contact:**

Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

**Eye Contact:**

Bathe the eye with running water for 15 minutes. Consult a doctor.

**Ingestion:**

Wash out mouth with water. Consult a doctor.

**Inhalation:**

Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.



#### 4.2. Most important symptoms and effects, both acute and delayed

<b>Skin Contact:</b>	There may be irritation and redness at the site of contact.
<b>Eye Contact:</b>	There may be irritation and redness. The eyes may water profusely.
<b>Ingestion:</b>	There may be soreness and redness of the mouth and throat.
<b>Inhalation:</b>	There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.
<b>Delayed/Immediate Effects</b>	Immediate effects can be expected after short-term exposure.

#### 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate/special treatment:** Eye bathing equipment should be available on the premises.

### Section 5: Fire-fighting measures

**5.1. Extinguishing media** Alcohol resistant foam. Water spray. Carbon dioxide. Dry chemical powder. Use water spray to cool containers.

#### 5.2. Special Hazards arising from the substance of mixture

**Exposure hazards:** Flammable. In combustion emits toxic fumes. Forms explosive air-vapour mixture.

**5.3. Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

### Section 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid. Eliminate all sources of ignition.

#### 6.2. Environmental precautions:

Do not discharge into drains or rivers. Contain the spillage using bunding.

#### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks.



#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

### Section 7: Handling and storage

#### 7.1. Precautions for safe handling

**Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air. Smoking is forbidden. Use non-sparking tools.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed. Keep away from sources of ignition. Prevent the build up of electrostatic charge in the immediate area. Ensure lighting and electrical equipment are not a source of ignition.

#### 7.3. Specific end use(s)

**Specific end use(s):** No data available.

### Section 8: Exposure controls/personal protection

#### 8.1 Control Parameters

##### Hazardous ingredients:

HYDROCARBONS,C11-14,N-ALKANES,ISOALKANES,CYCLIC,<2% AROMATICS

##### Workplace exposure limits:

##### Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	1200 mg/m <sup>3</sup>	-	-	-

##### XYLENE

UK	220 mg/m <sup>3</sup>	441 mg/m <sup>3</sup>	-	-
----	-----------------------	-----------------------	---	---

##### 2-BUTOXYETHANOL

UK	25 ppm	50 ppm	-	-
----	--------	--------	---	---

##### DNEL/PNEC Values

DNEL / PNEC No data available

[www.resin8.co.uk](http://www.resin8.co.uk) | [info@resin8.co.uk](mailto:info@resin8.co.uk) | 01242 603624

The data provided in this document is the result of tests and is believed to be accurate. We do not accept any responsibility over the mishandling of these products and our liability is limited strictly to the value of the products we supply.



## 8.2 Exposure controls

<b>Engineering measures:</b>	Ensure there is sufficient ventilation of the area. Ensure lighting and electrical equipment are not a source of ignition.
<b>Respiratory protection:</b>	Self-contained breathing apparatus must be available in case of emergency.
<b>Hand protection:</b>	Protective gloves.
<b>Eye protection:</b>	Safety glasses. Ensure eye bath is to hand.
<b>Skin protection:</b>	Protective clothing.
<b>Environmental:</b>	An environmental assessment must be made to ensure compliance with local environmental legislation.

## Section 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>State:</b> Liquid	
<b>Colour:</b> Colourless	
<b>Odour:</b> Characteristic odour	
<b>Evaporation rate:</b> No data available	
<b>Oxidising:</b> No data available	
<b>Solubility in water:</b> Not miscible	
<b>Also soluble in:</b> Most organic solvents	
<b>Viscosity:</b> Non-viscous	
<b>Kinematic viscosity:</b> $\leq 20.5$	
<b>Viscosity test method:</b> Kinematic viscosity in $10^{-6}$ m <sup>2</sup> /s at 40°C (ISO 3104/3105)	
<b>Boiling point/range°C:</b> No data available	<b>Melting point/range°C:</b> No data available
<b>Flammability limits 0% lower:</b> No data available	<b>upper:</b> No data available
<b>Flash point °C:</b> 23 – 60	<b>Part.coeff.n-octanol/water:</b> No data available
<b>Autoflammability°C:</b> No data available	<b>Vapour pressure:</b> No data available
<b>Relative density:</b> 0.795-0.805	<b>pH:</b> No data available
<b>VOC g/l:</b> No data available	

### 9.2 Other information

<b>Other information:</b>	No data available.
---------------------------	--------------------

## Section 10: Stability and reactivity

### 10.1 Reactivity

<b>Reactivity:</b>	Stable under recommended transport or storage conditions.
--------------------	---

### 10.2 Chemical stability

<b>Chemical stability:</b>	Stable under normal conditions. Stable at room temperature.
----------------------------	---

### 10.3 Possibility of hazardous reactions

<b>Hazardous reactions:</b>	Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.
-----------------------------	--



#### 10.4 Conditions to avoid

**Conditions to avoid:** Heat. Hot surfaces. Sources of ignition. Flames.

#### 10.5 Incompatible materials

**Materials to avoid:** Strong oxidising agents. Strong acids.

#### 10.6 Hazardous decomposition products

**Haz. decomp. Products:** In combustion emits toxic fumes.

### Section 11: Toxicological information

#### 11.1 Information on toxicological effects

**Hazardous ingredients:**

**HYDROCARBONS,C11-14,N-ALKANES,ISOALKANES,CYCLIC,<2% AROMATICS**

DERMAL	RBT	LD50	>5000	mg/kg
ORAL	RAT	LD50	>5000	mg/kg
VAPOURS	RAT	4H LC50	>5000	mg/kg

#### **XYLENE**

ORL	MUS	LD50	2119	mg/kg
ORL	RAT	LD50	4300	mg/kg
SCU	RAT	LD50	1700	mg/kg

#### **2-BUTOXYETHANOL**

IVN	RAT	LD50	307	mg/kg
ORL	MUS	LD50	1230	mg/kg
ORL	RAT	LD50	470	mg/kg

**Relevant hazards for substance:**

Hazard	Route	Basis
Skin/corrosion/irritation	DRM	Hazardous: calculated
Aspiration hazard	-	Hazardous: calculated



### Symptoms / routes of exposure

- Skin contact:** There may be irritation and redness at the site of the contact.
- Eye contact:** There may be irritation and redness. The eyes may water profusely.
- Ingestion:** There may be soreness and redness of the mouth and throat.
- Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.  
Exposure may cause coughing or wheezing.
- Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

## Section 12: Ecological information

### 12.1 Toxicity

#### Hazardous ingredients:

#### HYDROCARBONS,C11-14,N-ALKANES,ISOALKANES,CYCLIC,<2% AROMATICS

ALGAE	72H IC50	20	ppm
DAPHNA	48H EC50	>250	ppm
Daphnia magna	48H EC50	>1000	mg/l
FISH	96H LC50	>1000	Ppm
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	>1000	mg/l

### 12.2 Persistence and degradability

**Persistence and degradability:** Biodegradable.

### 12.3 Bioaccumulative potential

**Bioaccumulative potential:** No bioaccumulation potential.

### 12.4 Mobility in soil

**Mobility:** Readily absorbed into soil.

### 12.5 Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

### 12.6 Other adverse effects

**Other adverse effects:** Negligible ecotoxicity.

## Section 13: Disposal considerations

### 13.1 Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**Disposal of packaging:** Arrange for collection by specialized disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.



## Section 14: Transport information

### 14.1 UN number:

UN number: UN1268

### 14.2 UN proper shipping name

Shipping name: PETROLEUM DISTILLATES, N.O.S (Contains xylene and ethylene glycol monoethylether)

### 14.3 Transport hazard class (es)

Transport class: 3

### 14.4 Packing group

Packing group: III

### 14.5 Environmental hazards

Environmentally hazardous: Yes

Marine pollutant: No

### 14.6 Special precautions for user

Special precautions: No special precautions.

Tunnel code: D/E

Transport category: 3

## Section 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable

### 15.2 Chemical safety equipment

## Section 16: Other information

### Other information:

This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

\*indicates text in the SDS which has changed since the last revision.

### Phrases used in s.2 and s.3:

EUH066:	Repeated exposure may cause skin dryness or cracking.
H226:	Flammable liquid and vapour.
H302:	Harmful if swallowed.
H304:	May be fatal if swallowed and enters airways
H312:	Harmful in contact with skin.
H315:	Causes skin irritation.
H319:	Causes serious eye irritation.
H332:	Harmful if inhaled.

### Legal disclaimer:

The above information is believed to be correct, but does not purport to be all inclusive and shall be used inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

[www.resin8.co.uk](http://www.resin8.co.uk) | [info@resin8.co.uk](mailto:info@resin8.co.uk) | 01242 603624

The data provided in this document is the result of tests and is believed to be accurate. We do not accept any responsibility over the mishandling of these products and our liability is limited strictly to the value of the products we supply.