

# RESIN8 MOULD MAKER CATALYST SAFETY DATA SHEET

Compilation date: 02/04/2011

Revision No: 1

## Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: Resin8 Mould Maker CATALYST

1.2. Relevant identified uses of the substance or mixture and uses advised against.

Use of substance: Addition silicone for industrial application

1.3. Details of the supplier of the safety data sheet

Company name: Resin8 Craft Supplies Ltd

Unit B4, Withytree Farm

Winchcombe, Gloucestershire, GL54 5NT

United Kingdom

Tel: +44( 1242 ) 603624 Email: info@resin8.co.uk

Twitter @resin8craft

1.4. Emergency telephone number

**Emergency tel:** +44 ( 1242 ) 603624 (U.K office hours only)

## **Section 2: Hazardous identification**

#### 2.1 Classification of the substance or mixture

This product is not classified as hazardous pursuant to the provisions set forth in Directives 67/548/EEC and 1994/45/EC and/or EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). However, since the product contains hazardous substances in concentrations such as to be detailed in section no. 3, it requires a safety data sheet with appropriate information compliant to EC Regulation 1907/2006 and subsequent amendments.

The full wording of the Risk (R) and Hazard (H) phrases is given in section 16 of the sheet.

www.resin8.co.uk | info@resin8.co.uk | 01242 603624



#### 2.2. Label elements

Hazard statements: Signal words: Hazard pictograms: Warning: -

This product is not subject to hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

#### 2.3. Other hazards

## Section 3: Composition/information on ingredients

# 3.2. Mixtures

**Contains:** 

Identification	Conc. %	Classification	Classification
		67/548EEC	1272/2008 (CLP)
QUARTZ			
CAS. 14808-60-7	2.5-3	Xn R48/20	STOT RE 2 H373
EC. 238-878-4			
INDEX			
TRIDIMITE			
CAS. 15468-32-3	2.5-3	Xn R48/20	STOT RE 2 H373
EC. 239-487-1			
INDEX			
CRISTOBALITE			
CAS. 14464-46-1	2.5-3	Xn R48/20	STOT RE 2 H373
EC			
INDEX			

T+ = Very Toxic, T = Toxic, Xn = Harmful, Xi = Irritant, O = Oxidizing, E = Explosive, F+ = Extremely Flammable, F = Flammable

The full wording of the Risk (R) and Hazard (H) phrases is given in section 16 of the sheet.

www.resin8.co.uk | info@resin8.co.uk | 01242 603624



## **Section 4: First aid measures**

## 4.1. Description of first aid measures

Eye Contact: Irrigate copiously with clean, fresh water for at least 15

minutes. Seek medical advice.

**Skin Contact**: Wash immediately with plenty of water. Remove

contaminated clothing. If irritation persists, seek medical attention. Wash contaminated clothing before using them

again.

**Inhalation**: Remove to open air. If breathing is irregular, seek medical

advice.

Ingestion: Obtain immediate medical attention. Induce vomiting only if

indicated by the doctor. Never give anything by mouth to an

unconscious person.

## 4.2 Most important symptoms and effects, both acute and delayed

For symptoms and effects caused by the contained substances see section 11.

## 4.3 Indication of any immediate medical attention and special treatment needed

Follow doctors orders.

## **Section 5: Fire-fighting measures**

#### 5.1 Extinguishing Media

SUITABLE EXTINGUISHING MEDIA

The extinction equipment should be of the conventional kind: carbon dioxide, foam, powder and nebulised water.

EXTINGUISHING MEDIA WHICH SHALL NOT BE USED FOR SAFETY REASONS None in particular.

## 5.2 Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPSOYRE IN THE EVENT OF FIRE

Do not breathe combustion products (carbon oxide, toxic pyrolosis products, etc).

#### 5.3 Advice for firefighters

GENERAL INFORMATION

www.resin8.co.uk | info@resin8.co.uk | 01242 603624



Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full protective gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS

Hardhat with visor, fireproof clothing (fireproof jacket and trousers with ties around arms, legs and waist), work gloves (fireproof, cut proof and dielectric), self-respirator (self-protector).

#### **Section 6: Accidental release measures**

**Personal precautions**: Eliminate sources of ignition (cigarettes, flames, sparks, etc)

from the area in which the leak occurred. If there are no contraindications, spray solid products with water to prevent the formation of dust. Use breathing equipment if fumes or powders are released into the air. Block the leakage if there is no hazard. Do not handle damaged containers or leaked product before donning appropriate protective gear. Send

away individuals who are not suitable equipped.

**Environmental Precautions and Clean-up Methods:** 

This product must not penetrate the sewers, surface water,

ground water and neighbouring areas.

Methods and material for containment and cleaning up:

For liquid products, suck into a suitable container (made of material not incompatible with the product) and soak up any leaked product with absorbent inert material (sand, vermiculite, diatomeous earth, Kieselguhr, etc). Collect the majority of the remaining material and deposit in containers

for disposal.

## Section 7: Handling and storage

**Handling**: Do not smoke while handling.

**Storage**: Keep container tightly closed. Keep container in a cool, well-

ventilated area, away from sources of heart, bright flames,

sparks and other sources of ignition.

www.resin8.co.uk | info@resin8.co.uk | 01242 603624



## Section 8: Exposure controls/personal protection

## 8.1 Control parameters

Name	Туре	Country	TWA/8hmg/m3
QUARTZ	TLV-ACGIH		0.025
	OEL	IRL	0.05
	WEL	UK	0.3

## 8.2 Exposure Controls

**Respiratory protection**: The use of breathing protection equipment, such as masks

with organic vapour and dust/mist cartridges, is necessary. The protection provided by masks is in any case limited.

Hand protection: Protect hands with category I (ref. Directive 89/686/EEC and

Standard EN 374) work gloves, such as those in latex, PVC or

equivalent. The following should be considered when choosing work glove material: degradation, breakage times and permeation. Work glove resistance to preparations should be checked before use, as it can be unpredictable.

Gloves limit depends on the duration of exposure.

**Eye protection**: Use of protective airtight goggles (ref. standard EN166)

recommended.

**Skin protection**: Wear category I professional long-sleeved overalls and safety

footwear (ref. Directive 89/686/CEE and Standard EN 344). Wash body with soap and water after removing overalls.

## **Section 9: Physical and chemical properties**

State: Liquid
Colour: White
Odour: Odourless
Specific gravity: 1,130 Kg/l
Solid content: 8.47%

## Section 10: Stability and reactivity

Stability and Reactivity: The product is stable

www.resin8.co.uk | info@resin8.co.uk | 01242 603624



**Conditions of Instability:** None, although the usual precautions used for chemical

Not available.

products should be respected.

**Incompatibility with Various** 

**Substances:** 

**Hazardous Decomposition** 

Products:

In the event of thermal decomposition of fire, vapours

potentially dangerous to health may be released.

## **Section 11: Toxicological information**

According to currently available data, this product has not yet produced health damages. However, it must be handled carefully according to good industrial practices. This product may have slight health effects on sensitive people, by inhalation and/or cutaneous absorption and/or contact with eyes and/or ingestion.

## **Section 12: Ecological information**

Use this product according to good working practices. Avoid littering. Inform the competent authorities should the product reach waterways or sewers or contaminate soil or vegetation.

## **Section 13: Disposal considerations**

Waste Disposal: Neat product residues should be considered special non-

hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with

national and local regulations.

## **Section 14: Transport information**

This product us not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

# **Section 15: Regulatory information**

None.

www.resin8.co.uk | info@resin8.co.uk | 01242 603624



## **Section 16: Other information**

## Text of Hazard (H) indications mentioned in section 2-3 of the sheet:

STOT RE 2 Specific target organ toxicity – repeated exposure, category

2

H373 May cause damage to organs through prolonged or repeated

exposure.

Text of Risk (R) indications mentioned in section 2-3 of the sheet:

R48/20 HARMFUL: DANGER OF SERIOUS DAMAGE TO HEALTH BY

PROLONGED EXPOSURE THROUGH INHALATION

**Notice to reader:** To the best of our knowledge, the information contained

herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards

that exist.