



## SAFETY DATA SHEET – Resin8 fill-it epoxy resin

### RESIN

Compilation date: 29/08/2019

Revision No: 1

#### **Section 1: Identification of the substance/mixture and of the company/undertaking**

##### **1.1. Product identifier**

Product name: Resin8 fill-it epoxy resin

Product form: Mixtures

Type of product: Resin

##### **1.2. Relevant identified uses of the substance or mixture and uses advised against.**

###### **1.2.1 Relevant identified uses**

Intended for general public

Main use category: Industrial use

Industrial/Professional use spec.: Intended for general public

Use of the substance/mixture: Industrial laminating resin, casting, injection, winding, infusion, gluing, foaming, coatings, sealants, jewellery

###### **1.2.2 Uses advised against**

No additional information available

##### **1.3. Details of the supplier of the safety data sheet company name:**

B1, Resin8 Craft Supplies Limited, Unit  
Withytree Farm, Broadway Road,  
Winchcombe, Gloucestershire, GL54

5NT

**Tel:** +44 (1242) 603624

**Email:** [info@resin8.co.uk](mailto:info@resin8.co.uk)

##### **1.4. Emergency telephone number**

**Emergency tel:** **Resin8:** +44 (1242) 603624 (UK office hours only)  
**National Poisons Information Service Edinburgh:** 0344 892 0111  
Little France Crescent, Edinburgh, EH16 4SA  
**Guy's & St Thomas' Poisons Unit:** 0870 243 2241  
Avonley Road, London, SE14 5ER

#### **Section 2: Hazardous identification**

##### **2.1 Classification of the substance or mixture**

Skin corrosion/irritation, Category 2 H315

Serious eye damage/eye irritation, Category 2 H319

Sensitisation — Skin, Category 1 H317

Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411

Full text of H statements: see section 16

##### **Adverse physicochemical, human health and environmental effects**

No additional information available

[www.resin8.co.uk](http://www.resin8.co.uk) | [info@resin8.co.uk](mailto:info@resin8.co.uk) | 01242 603624

The data provided in this document is the result of tests and is believed to be accurate. We do not accept any responsibility over the mishandling of these products and our liability is limited strictly to the value of the products we supply.

## 2.2. Label elements

Label elements according to Regulation (EC) No. 1272/2008 [CLP]

### Hazard pictograms (CLP):

GHS07: Exclamation mark

GHS09: Environmental



### Signal words:

Warning

### Hazardous ingredients:

C13/C15-Alkylglycidylether; reaction product: bisphenol-A-(epichlorhydrin), epoxy resin (number average molecular weight  $\leq 700$ )

### Hazard statements:

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H411: Toxic to aquatic life with long lasting effects.

### Precautionary statements:

P102: Keep out of reach of children.

P270: Do not eat, drink or smoke when using this product.

P301+P310: IF SWALLOWED: immediately call a POISON CENTRE or doctor/physician

P281: Use personal protective equipment as required

P305 + 351 + 338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P338: IF ON SKIN (or hair): Remove/Take off immediately contaminated clothing. Rinse skin with water/shower

P501: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and /or international regulation.

### EUH-statements:

EUH205 - Contains epoxy constituents. May produce an allergic reaction

## 2.3. Other hazards

Other hazards not contributing to the classification: None under normal conditions.

## Section 3: Composition/information on ingredients

### 3.1 Substances

Not applicable



### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
reaction product: bisphenol-A-(epichlorhydrin), epoxy resin (number average molecular weight $\leq$ 700)	(CAS No) 25068-38-6 (EC No) 500-033-5 (EC Index No) 603-074-00-8 (REACH-no) 01-2119456619-26	60 - 80	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
C13/C15-Alkylglycidylether	(CAS No) 68081-84-5 (EC No) 268-358-2 (REACH-no) 01-2119962192-39	20 - 40	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411

#### Specific concentration limits:

Name	Product identifier	Specific concentration limits
reaction product: bisphenol-A-(epichlorhydrin), epoxy resin (number average molecular weight $\leq$ 700)	(CAS No) 25068-38-6 (EC No) 500-033-5 (EC Index No) 603-074-00-8 (REACH-no) 01-2119456619-26	(C $\geq$ 5) Skin Irrit. 2, H315 (C $\geq$ 5) Eye Irrit. 2, H319

## Section 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general:	IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation:	Allow the victim to rest. Assure fresh air breathing. Give oxygen or artificial respiration if necessary. If breathing stops, give artificial respiration. Call a POISON CENTER or doctor/physician.
First-aid measures after skin contact:	Take off contaminated clothes, wash skin with plenty of water or have a shower (during minimum 15 minutes) and if necessary take medical advice. Be careful, the product may remain trapped under clothing, footwear or a wrist-watch. Do not use solvents or thinners. If on skin and if skin irritation or rash occurs, seek medical advice and attention.
First-aid measures after eye contact:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an eye specialist immediately.
First-aid measures after ingestion:	Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor/physician.



#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation:	May cause irritation to the respiratory tract, sneezing, coughing, burning sensation of throat with constricting sensation of the larynx and difficulty in breathing.
Symptoms/injuries after skin contact:	Causes skin irritation. May cause moderate irritation. This material or its emissions may induce an allergic or sensitization reaction and thereby aggravate existing systemic disease.
Symptoms/injuries after eye contact:	Causes eye irritation. May cause moderate irritation, including burning sensation, tearing, redness or swelling.

#### 4.3. Indication of any immediate medical attention and special treatment needed

For the Anti-Poison Center indicate all the components including the non-dangerous ones to obtain (when possible) a total of 100 %.

### Section 5: Fire-fighting measures

#### 5.1. Extinguishing Media

Suitable extinguishing media:	Carbon Dioxide. Water spray. Dry powder. Alcohol resistant foam.
Unsuitable extinguishing media:	Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Explosion Hazard:	Heat may cause pressure rise with explosion of tanks/drums.
Hazardous decomposition products in case of fire:	Carbon Dioxide. Carbon Monoxide. Nitrogen Oxides. Toxic fumes.

#### 5.3. Advice for firefighters

Firefighting instructions:	Evacuate the danger area. Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Protection during firefighting:	Do not enter fire area without proper protective equipment, including respiratory protection.
Other information:	Exercise caution when fighting any chemical fire.

### Section 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedure

##### 6.1.1. For non-emergency personnel

Protective equipment:	Manipulations are to be done only by qualified and authorized persons. Wear recommended personal protective equipment.
Emergency procedures:	If a major spill occurs, all personnel should be immediately evacuated and the area ventilated.

[www.resin8.co.uk](http://www.resin8.co.uk) | [info@resin8.co.uk](mailto:info@resin8.co.uk) | 01242 603624

The data provided in this document is the result of tests and is believed to be accurate. We do not accept any responsibility over the mishandling of these products and our liability is limited strictly to the value of the products we supply.



### 6.1.2. For emergency responders

Protective equipment:

Spill should be handled by trained cleaning personnel properly equipped with respiratory and eye protection. Wear proper protective equipment.

Emergency procedures:

Stop release. Place in an appropriate container and dispose of the contaminated material at a licensed site.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up:

Clean up any spills as soon as possible, using an absorbent material to collect it. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal.

### 6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8.

Concerning disposal elimination after cleaning, see section 13.

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling:

Use only outdoors or in a well-ventilated area. Do not get in eyes, on skin, or on clothing. Do not handle until all safety precautions have been read and understood.

Hygiene measures:

Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions:

Store, if possible, in a cool, well ventilated place away from incompatible materials. Keep container closed when not in use.

Incompatible products:

Oxidizing agent. Strong bases. Strong acids.

Storage area:

Store in a well-ventilated place.

Special rules on packaging:

Store in a closed container.

### 7.3. Specific end use(s)

No additional information available.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available.

### 8.2. Exposure controls

*Personal Protective Equipment*

[www.resin8.co.uk](http://www.resin8.co.uk) | [info@resin8.co.uk](mailto:info@resin8.co.uk) | 01242 603624

The data provided in this document is the result of tests and is believed to be accurate. We do not accept any responsibility over the mishandling of these products and our liability is limited strictly to the value of the products we supply.



Avoid all unnecessary exposure. Gas mask. Protective clothing. In case of splash hazard: safety glasses. Gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

#### *Hand protection*

Nitrile-rubber protective gloves. Chemical resistant gloves (according to European standard NF EN 374 or equivalent)

#### *Eye protection*

Chemical goggles or face shield

#### *Skin and body protection*

Wear suitable protective clothing

#### *Respiratory protection*

Wear respiratory protection. Gas mask with filter type A



#### *Consumer exposure controls*

Avoid contact during pregnancy/while nursing.

#### *Other information*

Do not eat, drink or smoke during use.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Appearance:	Clear, colorless liquid.
Colour:	Colourless.
Odour:	Slight.
Odour threshold:	No data available
pH:	No data available
Relative evaporation rate (butylacetate=1):	No data available
Melting point:	No data available
Freezing point:	No data available
Boiling point:	No data available
Flash point:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available

[www.resin8.co.uk](http://www.resin8.co.uk) | [info@resin8.co.uk](mailto:info@resin8.co.uk) | 01242 603624

The data provided in this document is the result of tests and is believed to be accurate. We do not accept any responsibility over the mishandling of these products and our liability is limited strictly to the value of the products we supply.



Flammability (solid, gas):	No data available
Vapour pressure:	No data available
Relative vapour density at 20 °C:	No data available
Relative density:	1.1
Relative density of saturated gas/air mixture:	1.1
Solubility:	No data available
Log Pow:	No data available
Viscosity, kinematic:	No data available
Viscosity, dynamic:	1~000 mPa .s
Explosive properties:	No data available
Oxidising properties:	No data available
Explosive limits:	No data available

## 9.2. Other information

No additional information available.

## Section 10: Stability and reactivity

### 10.1. Reactivity

No dangerous reactions known under normal conditions of use.

### 10.2. Chemical stability

Stable in use and storage conditions as recommended in item 7.

### 10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

### 10.4. Conditions to avoid

No data available.

### 10.5. Incompatible materials

Strong acids. Oxidizing agent. Strong bases. Amines.

### 10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide. Nitrogen oxides. Toxic fumes.

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity: Not classified

ATE CLP (oral)	500.000 mg/kg bodyweight
ATE CLP (dermal)	1100.000 mg/kg bodyweight
<b>C13/C15-Alkylglycidylether (68081-84-5)</b>	
LD50 oral rat	> 5000 mg/kg
<b>reaction product: bisphenol-A-(epichlorhydrin), epoxy resin (number average molecular weight ≤ 700) (25068-38-6)</b>	
LD50 oral rat	11400 mg/kg
LD50 oral	≈ 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg

[www.resin8.co.uk](http://www.resin8.co.uk) | [info@resin8.co.uk](mailto:info@resin8.co.uk) | 01242 603624

The data provided in this document is the result of tests and is believed to be accurate. We do not accept any responsibility over the mishandling of these products and our liability is limited strictly to the value of the products we supply.



Skin corrosion/irritation:	Causes skin irritation.
Serious eye damage/irritation:	Causes serious eye irritation.
Respiratory or skin sensitisation:	May cause an allergic skin reaction.
Germ cell mutagenicity:	Not classified
Carcinogenicity:	Not classified
Reproductive toxicity:	Not classified
STOT-single exposure:	Not classified
STOT-repeated exposure:	Not classified
Aspiration hazard:	Not classified

## Section 12: Ecological information

### 12.1. Toxicity

Ecology - general:	No data
Ecology - air:	No data
Ecology - water:	No data

reaction product: bisphenol-A-(epichlorhydrin), epoxy resin (number average molecular weight $\leq$ 700) (25068-38-6)	
LC50 fish 1	1.3 mg/l
EC50 Daphnia 1	2.1 mg/l
EC50 72h algae (1)	11 mg/l

### 12.2. Persistence and degradability

FILL-IT SLOWCURE EPOXY RESIN	
Persistence and degradability	No data.
C13/C15-Alkylglycidylether (68081-84-5)	
Persistence and degradability	No data.

### 12.3. Bioaccumulative potential

FILL-IT SLOWCURE EPOXY RESIN	
Bioaccumulative potential	No data.
C13/C15-Alkylglycidylether (68081-84-5)	
Bioaccumulative potential	No data.

### 12.4. Mobility in soil

FILL-IT SLOWCURE EPOXY RESIN	
Ecology - soil	No data.
C13/C15-Alkylglycidylether (68081-84-5)	
Ecology - soil	No data.

### 12.5. Results of PBT and vPvB assessment

Component	
	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII



## 12.6. Other adverse effects

No data

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods: Do not flush down sewers. Dispose of this material and its container at hazardous or special waste collection point.

Product/Packaging disposal recommendations:

Recycle or dispose of in compliance with current legislation.

Ecology - waste materials:

Avoid release to the environment

## Section 14: Transport information

In accordance with ADR / RID / IMDG / IATA / AND

### 14.1. UN number

UN-No. (ADR):	3082
UN-No. (IMDG):	3082
UN-No. (IATA):	3082
UN-No. (ADN):	3082
UN-No. (RID):	3082

### 14.2. UN proper shipping name

Proper Shipping Name (ADR):	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IMDG):	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IATA):	Environmentally hazardous substance, liquid, n.o.s.
Proper Shipping Name (ADN):	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (RID):	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport document description (ADR):	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, (E)
Transport document description (IMDG):	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, MARINE POLLUTANT
Transport document description (IATA):	UN 3082 Environmentally hazardous substance, liquid, n.o.s., 9, III
Transport document description (ADN):	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III
Transport document description (RID):	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

### 14.3. Transport hazard class (es)

ADR

Transport hazard class(es) (ADR): 9

Danger labels (ADR): 9




## IMDG

Transport hazard class(es) (IMDG): 9  
Danger labels (IMDG): 9




## IATA

Transport hazard class(es) (IATA): 9  
Hazard labels (IATA): 9




## ADN

Transport hazard class(es) (ADN): 9  
Danger labels (ADN): 9



## RID

Transport hazard class(es) (RID): 9  
Danger labels (RID): 9



### 14.4. Packing group

Packing group (ADR): III  
Packing group (IMDG): III  
Packing group (IATA): III  
Packing group (ADN): III  
Packing group (RID): III

### 14.5. Environmental hazards




Dangerous for the environment:	Yes
Marine pollutant:	Yes
Other information:	No supplementary information available

#### 14.6. Special precautions for user

##### *Overland transport*

Classification code (ADR):	M6
Special provisions (ADR):	274, 335, 601, 375
Limited quantities (ADR):	5L
Excepted quantities (ADR):	E1
Packing instructions (ADR):	P001, IBC03, LP01, R001
Special packing provisions (ADR):	PP1
Mixed packing provisions (ADR):	MP19
Portable tank and bulk container instructions (ADR):	T4
Portable tank and bulk container special provisions (ADR):	TP1, TP29
Tank code (ADR):	LGBV
Vehicle for tank carriage:	AT
Transport category (ADR):	3
Special provisions for carriage -packages (ADR):	V12
Special provisions for carriage -loading, unloading and handling (ADR):	CV13
Hazard identification number (Kemler No.):	90
Orange plates:	



Tunnel restriction code (ADR):	E
EAC code:	•3Z

##### *Transport by sea*

Special provisions (IMDG):	274, 335, 969
Limited quantities (IMDG):	5L
Excepted quantities (IMDG):	E1
Packing instructions (IMDG):	P001, LP01
Special packing provisions (IMDG):	PP1
IBC packing instructions (IMDG):	IBC03
Tank instructions (IMDG):	T4
Tank special provisions (IMDG):	TP2, TP29
EmS-No. (Fire):	F-A
EmS-No. (Spillage):	S-F



Stowage category (IMDG):	A
<i>Air transport</i>	
PCA Excepted quantities (IATA):	E1
PCA Limited quantities (IATA):	Y964
PCA limited quantity max net quantity (IATA):	30kgG
PCA packing instructions (IATA):	964
PCA max net quantity (IATA):	450L
CAO packing instructions (IATA):	964
CAO max net quantity (IATA):	450L
Special provisions (IATA):	A97, A158, A197
ERG code (IATA):	9L

<i>Inland waterway transport</i>	
Classification code (ADN):	M6
Special provisions (ADN):	274, 335, 375, 601
Limited quantities (ADN):	5L
Excepted quantities (ADN):	E1
Carriage permitted (ADN):	T
Equipment required (ADN):	PP
Number of blue cones/lights (ADN):	0

<i>Rail transport</i>	
Classification code (RID):	M
Special provisions (RID):	274, 335, 375, 601
Limited quantities (RID):	5L
Excepted quantities (RID):	E1
Packing instructions (RID):	P001, IBC03, LP01, R001
Special packing provisions (RID):	PP1
Mixed packing provisions (RID):	MP19
Portable tank and bulk container instructions (RID):	T4
Portable tank and bulk container special provisions (RID):	TP1, TP29
Tank codes for RID tanks (RID):	LGBV
Vehicle for tank carriage:	AT
Transport category (RID):	3
Special provisions for carriage -packages (RID):	W12
Special provisions for carriage -loading, unloading and handling (RID):	CW13, CW31
Colis express (express parcels) (RID):	CE8
Hazard identification number (RID):	90

[www.resin8.co.uk](http://www.resin8.co.uk) | [info@resin8.co.uk](mailto:info@resin8.co.uk) | 01242 603624

The data provided in this document is the result of tests and is believed to be accurate. We do not accept any responsibility over the mishandling of these products and our liability is limited strictly to the value of the products we supply.



**14.7. Transport in bulk according to Annex II or Marpol and the IBC code**

IBC code: Not applicable

**Section 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**15.1.1. EU-Regulations**

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

**15.1.2. National Regulations**

No additional information available.

**15.2. Chemical safety assessment**

Not applicable.

**Section 16: Other information**

Indication of changes: Revision - See : \*.

Data sources: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information: Information in this safety data sheet is based on actual knowledge in our possession and our experience. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. It is the user's responsibility to take mentioned precaution measures and ensure that this information is complete and sufficient for the use of this product.

**Full text of H- and EUH-statements:**

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, Category 1
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H411	Toxic to aquatic life with long lasting effects
EUH205	Contains epoxy constituents. May produce an allergic reaction

**SDS EU (REACH Annex II)**

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

[www.resin8.co.uk](http://www.resin8.co.uk) | [info@resin8.co.uk](mailto:info@resin8.co.uk) | 01242 603624

The data provided in this document is the result of tests and is believed to be accurate. We do not accept any responsibility over the mishandling of these products and our liability is limited strictly to the value of the products we supply.



## SAFETY DATA SHEET – Resin8 fill-it epoxy resin

### HARDENER

Compilation date: 29/08/2019

Revision No: 1

#### **Section 1: Identification of the substance/mixture and of the company/undertaking**

##### **1.1. Product identifier**

Product name: Resin8 fill-it epoxy hardener

Product form: Mixtures

Type of product: Hardener (Crosslinker)

##### **1.2. Relevant identified uses of the substance or mixture and uses advised against.**

###### **1.2.1 Relevant identified uses**

Intended for general public

Main use category: Industrial use

Industrial/Professional use spec.: Intended for general public

Use of the substance/mixture: Industrial laminating resin, casting, injection, winding, infusion, gluing, foaming, coatings, sealants, jewellery

###### **1.2.2 Uses advised against**

No additional information available

##### **1.3. Details of the supplier of the safety data sheet company name:**

Resin8 Craft Supplies Limited, Unit B1  
Withytree Farm, Broadway Road,  
Winchcombe, Gloucestershire, GL54 5NT

**Tel:** +44 (1242) 603624

**Email:** [info@resin8.co.uk](mailto:info@resin8.co.uk)

##### **1.4. Emergency telephone number**

**Emergency tel:** Resin8: +44 (1242) 603624 (UK office hours only)

**National Poisons Information Service Edinburgh:** 0344 892 0111

Little France Crescent, Edinburgh, EH16 4SA

**Guy's & St Thomas' Poisons Unit:** 0870 243 2241

Avonley Road, London, SE14 5ER

#### **Section 2: Hazardous identification**

##### **2.1 Classification of the substance or mixture**

Acute toxicity (oral), Category 4 H302

Acute toxicity (dermal), Category 4 H312

Serious eye damage/eye irritation, Category 1 H318

Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411

Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411

Full text of H statements: see section 16

##### **Adverse physicochemical, human health and environmental effects**

No additional information available

[www.resin8.co.uk](http://www.resin8.co.uk) | [info@resin8.co.uk](mailto:info@resin8.co.uk) | 01242 603624

The data provided in this document is the result of tests and is believed to be accurate. We do not accept any responsibility over the mishandling of these products and our liability is limited strictly to the value of the products we supply.

## 2.2. Label elements

Label elements according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP):



GHS05

GHS07

GHS09

Signal word (CLP):

Danger

Hazardous ingredients:

Propylidynetrimethanol, propoxylated, reaction products with ammonia

Hazard statements (CLP):

H302+H312 - Harmful if swallowed or in contact with skin

H318 - Causes serious eye damage

H411: Toxic to aquatic life with long lasting effects.

Precautionary statements:

P102: Keep out of reach of children.

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P273 - Avoid release to the environment

P281 - Use personal protective equipment as required

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P304+P340 - IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathing

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

## 2.3. Other hazards

Other hazards not contributing to the classification: None under normal conditions.

## Section 3: Composition/information on ingredients

### 3.1 Substances

Not applicable

### 3.2 Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Propylidynetrimethanol, propoxylated, reaction products with ammonia	(CAS No) 39423-51-3 (EC No) 500-105-6 (REACH-no) 01- 2119556886-20	50 - 100	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Eye Dam. 1, H318 Aquatic Chronic 2, H411



## Section 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general:	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
First-aid measures after inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Assure fresh air breathing. Respiratory arrest: artificial respiration or oxygen. If unconscious place in recovery position and seek medical advice.
First-aid measures after skin contact:	Wash contaminated clothing before reuse. Take off contaminated clothes, wash skin with plenty of water or have a shower (during minimum 15 minutes) and if necessary take medical advice. If on skin and if skin irritation or rash occurs, seek medical advice and attention.
First-aid measures after eye contact:	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Continue to rinse eye with clean water for 20-30 minutes, retracting eyelids often. Consult an eye specialist if necessary.
First-aid measures after ingestion:	Rinse mouth. Do not induce vomiting because of corrosive effects. Immediately call a POISON CENTER or doctor/physician.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation:	Cough. May cause respiratory irritation. Severe inhalation hazard.
Symptoms/injuries after skin contact:	May cause moderate irritation.
Symptoms/injuries after eye contact:	May cause moderate irritation, including burning sensation, tearing, redness or swelling. Risk of damage to eyes.
Symptoms/injuries after ingestion:	May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

### 4.3. Indication of any immediate medical attention and special treatment needed

For the Anti-Poison Center indicate all the components including the non-dangerous ones to obtain (when possible) a total of 100 %.

## Section 5: Fire-fighting measures

### 5.1. Extinguishing Media

Suitable extinguishing media:	Carbon Dioxide. Water spray. Dry powder. Foam.
Unsuitable extinguishing media:	Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire Hazard:	Do not breathe fumes from fires or vapours from decomposition.
--------------	--

[www.resin8.co.uk](http://www.resin8.co.uk) | [info@resin8.co.uk](mailto:info@resin8.co.uk) | 01242 603624

The data provided in this document is the result of tests and is believed to be accurate. We do not accept any responsibility over the mishandling of these products and our liability is limited strictly to the value of the products we supply.





Hazardous decomposition products  
in case of fire: Carbon Dioxide. Carbon Monoxide. Nitrogen Oxides.

### 5.3. Advice for firefighters

Precautionary measures fire: Evacuate personnel to a safe area. Do not enter fire area without proper protective equipment, including respiratory protection.

Firefighting instructions: Exercise caution when fighting any chemical fire. Unauthorized persons are not admitted. Eliminate all ignition sources if safe to do so. Prevent fire fighting water from entering the environment.

Protection during firefighting: Do not enter fire area without proper protective equipment, including respiratory protection. Wear a self contained breathing apparatus. Special protective equipment for fire-fighters.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedure

General measures: No open flames. No smoking. Spill should be handled by trained cleaning personnel properly equipped with respiratory and eye protection.

#### 6.1.1. For non-emergency personnel

No additional information available.

#### 6.1.2. For emergency responders

No additional information available.

### 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Clean up any spills as soon as possible, using an absorbent material to collect it. Do not allow it to enter drains or water courses.

### 6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8.  
Concerning disposal elimination after cleaning, see section 13.

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling: Provide good ventilation in process area to prevent formation of vapour. Avoid all unnecessary exposure. Do not handle until all safety precautions have been read and understood. Keep containers closed.

[www.resin8.co.uk](http://www.resin8.co.uk) | [info@resin8.co.uk](mailto:info@resin8.co.uk) | 01242 603624

The data provided in this document is the result of tests and is believed to be accurate. We do not accept any responsibility over the mishandling of these products and our liability is limited strictly to the value of the products we supply.



Hygiene measures:

Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions:

Store in original container. Store, if possible, in a cool, well ventilated place away from incompatible materials. Keep container closed when not in use.

Incompatible products:

Oxidizing agent. Strong acids. Halogenated hydrocarbons.

Incompatible materials:

Heat sources

### 7.3. Specific end use(s)

No additional information available.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available.

### 8.2. Exposure controls

#### *Personal Protective Equipment*

Self-contained breathing apparatus. Gloves. Gas mask. Protective clothing. Protective goggles. High gas/vapour concentration: gas mask with filter type K.

#### *Hand protection*

Nitrile-rubber protective gloves. Chemical resistant gloves (according to European standard NF EN 374 or equivalent).

#### *Eye protection*

Chemical goggles or face shield.

#### *Skin and body protection*

Wear suitable protective clothing.

#### *Respiratory protection*

Wear respiratory protection. High gas/vapour concentration: gas mask with filter type K.



#### *Consumer exposure controls*

Avoid contact during pregnancy/while nursing.

[www.resin8.co.uk](http://www.resin8.co.uk) | [info@resin8.co.uk](mailto:info@resin8.co.uk) | 01242 603624

The data provided in this document is the result of tests and is believed to be accurate. We do not accept any responsibility over the mishandling of these products and our liability is limited strictly to the value of the products we supply.



#### Other information

Do not eat, drink or smoke during use.

### Section 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour	Colourless to slightly yellow.
Odour:	Amine-like.
Odour threshold:	No data available
pH:	No data available
Relative evaporation rate (butylacetate=1):	No data available
Melting point:	No data available
Freezing point:	No data available
Boiling point:	No data available
Flash point:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Flammability (solid, gas):	No data available
Vapour pressure:	No data available
Relative vapour density at 20 °C:	No data available
Relative density:	0.98
Solubility:	No data available
Log Pow:	No data available
Viscosity, kinematic:	No data available
Viscosity, dynamic:	80 mPa.s
Explosive properties:	No data available
Oxidising properties:	No data available
Explosive limits:	No data available

#### 9.2. Other information

No additional information available.

### Section 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available.

#### 10.2. Chemical stability

Stable in use and storage conditions as recommended in item 7.

#### 10.3. Possibility of hazardous reactions

No additional information available.

#### 10.4. Conditions to avoid

Heat. Open flame. Sparks.

[www.resin8.co.uk](http://www.resin8.co.uk) | [info@resin8.co.uk](mailto:info@resin8.co.uk) | 01242 603624

The data provided in this document is the result of tests and is believed to be accurate. We do not accept any responsibility over the mishandling of these products and our liability is limited strictly to the value of the products we supply.



**10.5. Incompatible materials**

Strong acids. Oxidizing agent. Metals. Halogenated hydrocarbons.

**10.6. Hazardous decomposition products**

Carbon dioxide. Carbon monoxide. Nitrogen oxides.

**10.7. Hazardous decomposition products in case of fire:**

Carbon dioxide. Carbon monoxide. Nitrogen oxides.

**Section 11: Toxicological information**

**11.1. Information on toxicological effects**

Acute toxicity: Oral: Harmful if swallowed. Dermal: Harmful in contact with skin.

ATE CLP (oral)	500.000 mg/kg bodyweight
ATE CLP (dermal)	1100.000 mg/kg bodyweight

Skin corrosion/irritation: Not classified  
Serious eye damage/irritation: Causes serious eye damage.  
Respiratory or skin sensitisation: Not classified  
Germ cell mutagenicity: Not classified  
Carcinogenicity: Not classified  
Reproductive toxicity: Not classified  
STOT-single exposure: Not classified  
STOT-repeated exposure: Not classified  
Aspiration hazard: Not classified

**Section 12: Ecological information**

**12.1. Toxicity**

No additional information available

**12.2. Persistence and degradability**

No additional information available

**12.3. Bioaccumulative potential**

No additional information available

**12.4. Mobility in soil**

No additional information available

**12.5. Results of PBT and vPvB assessment**

No additional information available

**12.6. Other adverse effects**

No additional information available

**Section 13: Disposal considerations**

**13.1. Waste treatment methods**

[www.resin8.co.uk](http://www.resin8.co.uk) | [info@resin8.co.uk](mailto:info@resin8.co.uk) | 01242 603624

The data provided in this document is the result of tests and is believed to be accurate. We do not accept any responsibility over the mishandling of these products and our liability is limited strictly to the value of the products we supply.

No additional information available

## Section 14: Transport information

In accordance with ADR / RID / IMDG / IATA / AND

### 14.1. UN number

UN-No. (ADR):	3082
UN-No. (IMDG):	3082
UN-No. (IATA):	3082
UN-No. (ADN):	3082
UN-No. (RID):	3082

### 14.2. UN proper shipping name

Proper Shipping Name (ADR):	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IMDG):	Not applicable
Proper Shipping Name (IATA):	Not applicable
Proper Shipping Name (ADN):	Not applicable
Proper Shipping Name (RID):	Not applicable
Transport document description (ADR):	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, (E)
Transport document description (IMDG):	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, MARINE POLLUTANT
Transport document description (IATA):	UN 3082, 9
Transport document description (ADN):	UN 3082, 9
Transport document description (RID):	UN 3082, 9

### 14.3. Transport hazard class (es)

*ADR*

Transport hazard class(es) (ADR):	9
Danger labels (ADR):	9



*IMDG*

Transport hazard class(es) (IMDG):	9
Danger labels (IMDG):	9



*IATA*

Transport hazard class(es) (IATA):	9
------------------------------------	---

[www.resin8.co.uk](http://www.resin8.co.uk) | [info@resin8.co.uk](mailto:info@resin8.co.uk) | 01242 603624

The data provided in this document is the result of tests and is believed to be accurate. We do not accept any responsibility over the mishandling of these products and our liability is limited strictly to the value of the products we supply.

Hazard labels (IATA): 9



## ADN

Transport hazard class(es) (ADN): 9

Danger labels (ADN): 9



## RID

Transport hazard class(es) (RID): 9

Danger labels (RID): 9



### 14.4. Packing group

Packing group (ADR):	III
Packing group (IMDG):	Not applicable
Packing group (IATA):	Not applicable
Packing group (ADN):	Not applicable
Packing group (RID):	Not applicable

### 14.5. Environmental hazards

Dangerous for the environment:	Yes
Marine pollutant:	Yes
Other information:	No supplementary information available


### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR):	M6
Limited quantities (ADR):	5L
Excepted quantities (ADR):	E1
Vehicle for tank carriage:	AT
Transport category (ADR):	3
Hazard identification number (Kemler No.):	90



Orange plates:



Tunnel restriction code (ADR):

E

*Transport by sea*

No data available

*Air transport*

No data available

*Inland waterway transport*

No data available

*Rail transport*

No data available

**14.7. Transport in bulk according to Annex !! or Marpol and the IBC code**

Not applicable

**Section 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**15.1.1. EU-Regulations**

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

**15.1.2. National Regulations**

No additional information available.

**15.2. Chemical safety assessment**

Not applicable.

**Section 16: Other information**

Indication of changes: Revision - See : \*.

Data sources: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information: Information in this safety data sheet is based on actual knowledge in our possession and our experience. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the

[www.resin8.co.uk](http://www.resin8.co.uk) | [info@resin8.co.uk](mailto:info@resin8.co.uk) | 01242 603624

The data provided in this document is the result of tests and is believed to be accurate. We do not accept any responsibility over the mishandling of these products and our liability is limited strictly to the value of the products we supply.



product. It is the user's responsibility to take mentioned precaution measures and ensure that this information is complete and sufficient for the use of this product.

Full text of H- and EUH-statements:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
H302	Harmful if swallowed
H312	Harmful in contact with skin
H318	Causes serious eye damage
H411	Toxic to aquatic life with long lasting effects

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.